

# Synthesis of Euchrestifoline Using Iron- and Palladium-Catalyzed C-H Bond Activations

Puls F., Kataeva O., Knölker H.

Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

---

## Abstract

© 2018 WILEY-VCH Verlag GmbH & Co. KGaA, Weinheim We describe a short and efficient synthetic route to euchrestifoline. Key steps of our approach are the iron(III)-catalyzed Wacker-type oxidation of a chromene derivative with hexadecafluorophthalocyanine-iron (FePcF16) as catalyst, a palladium(0)-catalyzed Buchwald-Hartwig amination, and the final palladium(II)-catalyzed oxidative cyclization of the resulting diarylamine to the natural product.

<http://dx.doi.org/10.1002/ejoc.201800872>

---

## Keywords

Homogeneous catalysis, Iron, Natural products, Oxidation, Oxidative cyclization

## References

- [1] For Reviews see: a) D. P. Chakraborty, S. Roy, in *Progress in the Chemistry of Organic Natural Products*, Vol. 57 (Eds.: W. Herz, H. Griesbach, G. W. Kirby, W. Steglich, C. Tamm), Springer, Wien, 1991, pp. 71-152;
- [2] b) a) D. P. Chakraborty, in: *The Alkaloids*, Vol. 44 (Ed.: G. A. Cordell), Academic Press, New York, 1993, pp. 257-364;
- [3] c) H.-J. Knölker and K. R. Reddy, *Chem. Rev.*, 2002, 102, 4303-4427;
- [4] d) H.-J. Knölker, *Top. Curr. Chem.*, 2005, 244, 115-148;
- [5] e) H.-J. Knölker, K. R. Reddy, in: *The Alkaloids*, Vol. 65 (Ed.: G. A. Cordell), Academic Press, London, 2008, pp. 1-430;
- [6] f) K. K. Gruner, H.-J. Knölker, in: *Heterocycles in Natural Product Synthesis* (Eds.: K. C. Majumdar and S. K. Chattopadhyay), Wiley-VCH, Weinheim, 2011, pp. 341-376;
- [7] g) A. W. Schmidt, K. R. Reddy and H.-J. Knölker, *Chem. Rev.*, 2012, 112, 3193-3328.
- [8] a) H.-J. Knölker and C. Hofmann, *Tetrahedron Lett.*, 1996, 37, 7947-7950;
- [9] b) R. Hesse, K. K. Gruner, O. Kataeva, A. W. Schmidt and H.-J. Knölker, *Chem. Eur. J.*, 2013, 19, 14098-14111;
- [10] c) C. Gassner, R. Hesse and A. W. Schmidt, *Org. Biomol. Chem.*, 2014, 12, 6490-6499;
- [11] d) K. K. Julich-Gruner, O. Kataeva, A. W. Schmidt and H.-J. Knölker, *Chem. Eur. J.*, 2014, 20, 8536-8540;
- [12] e) S. Hou, Y. Liu, Y. Kong and M. L. Brown, *Org. Lett.*, 2015, 17, 2298-2301;
- [13] f) C. Schuster, K. K. Julich-Gruner, H. Schnitzler, R. Hesse, A. Jäger, A. W. Schmidt and H.-J. Knölker, *J. Org. Chem.*, 2015, 80, 5666-5673;
- [14] g) C. Schuster, M. Rönnefahrt, K. K. Julich-Gruner, A. Jäger, A. W. Schmidt and H.-J. Knölker, *Synthesis*, 2016, 48, 150-160;
- [15] h) T. Wang and T. R. Hoye, *J. Am. Chem. Soc.*, 2016, 138, 13870-13873.
- [16] a) T. A. Choi, R. Czerwonka, W. Fröhner, M. P. Krahle, K. R. Reddy, S. G. Franzblau and H.-J. Knölker, *ChemMedChem*, 2006, 1, 812-815;

- [17] b) T. A. Choi, R. Czerwonka, R. Forke, A. Jäger, J. Knöll, M. P. Krah, T. Krause, K. R. Reddy, S. G. Franzblau and H.-J. Knölker, *Med. Chem. Res.*, 2008, 17, 374–385;
- [18] c) T. Nagappan, P. Ramasamy, M. E. A. Wahid, T. C. Segaran and C. S. Vairappan, *Molecules*, 2011, 16, 9651–9664.
- [19] T.-S. Wu, M.-L. Wang and P.-L. Wu, *Phytochemistry*, 1996, 43, 785–789.
- [20] D. P. Chakraborty and A. Islam, *J. Indian Chem. Soc.*, 1971, 48, 91–92.
- [21] D. P. Chakraborty, B. K. Barman and P. K. Bose, *Sci. Cult.*, 1964, 30, 445.
- [22] J. Reisch, O. Goj, A. Wickramasinghe, H. M. T. Bandara Herath and G. Henkel, *Phytochemistry*, 1992, 31, 2877–2879.
- [23] T.-S. Wu, Y.-Y. Chan, M.-J. Liou, F.-W. Linb, L.-S. Shi and K.-T. Chen, *Phytother. Res.*, 1998, 12, S80–S82.
- [24] K. K. Gruner and H.-J. Knölker, *Org. Biomol. Chem.*, 2008, 6, 3902–3904.
- [25] Fazal-ur-Rehman, M. F. Khan, I. Khan and Roohullah, *Bangladesh J. Pharmacol.*, 2013, 8, 361–364.
- [26] a) J. D. Godfrey, R. H. Mueller, T. C. Sedergran, N. Soundararajan and V. J. Colandrea, *Tetrahedron Lett.*, 1994, 35, 6405–6408;
- [27] b) K. C. Nicolaou, P. K. Sasmal and H. Xu, *J. Am. Chem. Soc.*, 2004, 126, 5493–5501.
- [28] a) I. Iwai and J. Ide, *Chem. Pharm. Bull.*, 1962, 10, 926–933;
- [29] b) I. Iwai and J. Ide, *Chem. Pharm. Bull.*, 1963, 11, 1042–1049;
- [30] c) J. Hlubcek, E. Ritchie and W. C. Taylor, *Tetrahedron Lett.*, 1969, 10, 1369–1370.
- [31] a) J. Zsindely and H. Schmid, *Helv. Chim. Acta*, 1968, 51, 1510–1514;
- [32] b) P. E. Brown and R. A. Lewis, *J. Chem. Soc. Perkin Trans. 1*, 1992, 573–577;
- [33] c) R. Hesse, A. Jäger, A. W. Schmidt and H.-J. Knölker, *Org. Biomol. Chem.*, 2014, 12, 3866–3876;
- [34] d) V. Srinivasadesikan, J.-K. Dai and S.-L. Lee, *Org. Biomol. Chem.*, 2014, 12, 4163–4171.
- [35] For reviews on the Wacker process see: a) J. Tsuji, *Synthesis*, 1984, 369–384;
- [36] b) P. M. Henry, in: *Handbook of Organopalladium Chemistry for Organic Synthesis*, Vol. 2 (Ed.: E. Negishi), Wiley, New York, 2002, pp. 2119–2139;
- [37] c) J. Takacs and X.-t. Jiang, *Curr. Org. Chem.*, 2003, 7, 369–396;
- [38] d) J. Tsuji, in: *Palladium Reagents and Catalysts: New Perspectives for the 21st Century*, 2nd ed., Wiley, Hoboken, 2004, pp. 27–35;
- [39] e) R. Jira, *Angew. Chem. Int. Ed.*, 2009, 48, 9034–9037;
- [40] *Angew. Chem.*, 2009, 121, 9196–9199
- [41] f) R. Jira, in: *Applied Homogeneous Catalysis with Organometallic Compounds, A Comprehensive Handbook in Four Volumes*, 3rd Ed. (Eds.: B. Cornils, W. A. Herrmann, M. Beller, R. Paciello), Wiley-VCH, Weinheim, 2018, pp. 488–508.
- [42] a) J. A. Keith and P. M. Henry, *Angew. Chem. Int. Ed.*, 2009, 48, 9038–9049;
- [43] *Angew. Chem.*, 2009, 121, 9200–9212
- [44] b) T. Mitsudome, S. Yoshida, T. Mizugaki, K. Jitsukawa and K. Kaneda, *Angew. Chem. Int. Ed.*, 2013, 52, 5961–5964;
- [45] *Angew. Chem.*, 2013, 125, 6077–6080
- [46] c) P. Kočovský and J.-E. Bäckvall, *Chem. Eur. J.*, 2015, 21, 36–56.
- [47] a) I. Bauer and H.-J. Knölker, *Chem. Rev.*, 2015, 115, 3170–3387;
- [48] b) R. F. Fritsche, G. Theumer, O. Kataeva and H.-J. Knölker, *Angew. Chem. Int. Ed.*, 2017, 56, 549–553;
- [49] *Angew. Chem.*, 2017, 129, 564–568
- [50] c) C. Brütting, R. F. Fritsche, S. K. Kutz, C. Börger, A. W. Schmidt, O. Kataeva and H.-J. Knölker, *Chem. Eur. J.*, 2018, 24, 458–470.
- [51] F. Puls and H.-J. Knölker, *Angew. Chem. Int. Ed.*, 2018, 57, 1222–1226;
- [52] *Angew. Chem.*, 2018, 130, 1236–1240.
- [53] B. Liu, F. Jin, T. Wang, X. Yuan and W. Han, *Angew. Chem. Int. Ed.*, 2017, 56, 12712–12717;
- [54] *Angew. Chem.*, 2017, 129, 12886–12891.
- [55] a) W. P. Griffith, S. V. Ley, G. P. Whitcombe and A. D. White, *J. Chem. Soc., Chem. Commun.*, 1987, 1625–1627;
- [56] b) S. V. Ley, J. Norman, W. P. Griffith and S. P. Marsden, *Synthesis*, 1994, 639–666.
- [57] a) M. D. Charles, P. Schultz and S. L. Buchwald, *Org. Lett.*, 2005, 7, 3965–3968;
- [58] b) D. S. Surry and S. L. Buchwald, *Angew. Chem. Int. Ed.*, 2008, 47, 6338–6361;
- [59] *Angew. Chem.*, 2008, 120, 6438–6461

- [60] c) P. Ruiz-Castillo and S. L. Buchwald, *Chem. Rev.*, 2016, 116, 12564–12649.
- [61] a) R. Forke, M. P. Krah, F. Däbritz, A. Jäger and H.-J. Knölker, *Synlett*, 2008, 1870–1876;
- [62] b) M. Schmidt and H.-J. Knölker, *Synlett*, 2009, 2421–2424;
- [63] c) T. Gensch, M. Rönnefahrt, R. Czerwonka, A. Jäger, O. Kataeva, I. Bauer and H.-J. Knölker, *Chem. Eur. J.*, 2012, 18, 770–776.
- [64] G. R. Fulmer, A. J. M. Miller, N. H. Sherden, H. E. Gottlieb, A. Nudelman, B. M. Stoltz, J. E. Bercaw and K. I. Goldberg, *Organometallics*, 2010, 29, 2176–2179.
- [65] G. M. Sheldrick, *SHELXS-97*, Programs for Crystal Structure Solution, University of Göttingen, Germany, 1997.
- [66] G. M. Sheldrick, *SADABS*, v. 2.10, Bruker/Siemens Area Detector Absorption Correction Program, Bruker AXS Inc., Madison, WI, USA, 2002.
- [67] G. M. Sheldrick, *SHELXL-97*, Programs for Crystal Structure Refinement, University of Göttingen, Germany, 1997.
- [68] L. J. Farrugia, *J. Appl. Crystallogr.*, 1997, 30, 565.